



The ins and outs of pool safety

IMPORTANT: A number of very important items that are essential for the safe use of your pool may not be visible in many of the photographs, either because of perspective or camera angle, or because they were removed for photographic purposes. These items include:

1. Safety ropes, which should remain in place at all times
2. "No Diving" signs are provided by the manufacturer and should be installed in accordance with instructions included on the coping or liner, where they are clearly visible
3. An area sign is provided by the manufacturer and must be permanently and conspicuously affixed in the pool area where all users can see it
4. Necessary means of exit and entry into the pool
5. Fencing with a self-latching gate, and other barriers that can assist in preventing unsupervised access to the pool by children
6. Approved drain covers and other devices to protect against suction entrapment
7. Minimum required inlets and returns to ensure proper water circulation
8. Appropriate inpool lighting if the pool will be used after dark.

All of these devices should be installed in accordance with the manufacturer's instructions, ANSI/NSPI or ANSI/APSP standards, as well as state and local statutes and codes.

Diving boards and slides require minimum depths and distances and must only be installed and used in strict compliance with the equipment manufacturer's specifications and ANSI/NSPI or ANSI/APSP standards. If the pool is labeled by us as NON-DIVING, then diving equipment may not be installed and any such equipment must be removed before the pool is used. Smart pool owners always think safety first.

Proud to be members of The Association of Pool & Spa Professionals.



The Association of Pool & Spa Professionals is a registered trademark of The Association of Pool & Spa Professionals. Used by permission.

NOTICE: The manufacturer stands behind every product they produced pursuant to those representations which are stated in the written warranties. Your dealer/builder/contractor is an independent business person and not an agent or employee of the manufacturer. The manufacturer cannot and does not accept any responsibility for any representations, statements or contracts made by any dealer/builder/contractor.

Performance Steps™ is a Trademark of Latham Pool Products, Inc. Luran®S is a Registered Trademark of BASF.

The specifications in this brochure were believed to be true at the time of printing. However, specifications, standard equipment and options are subject to change without notice.

They take specific steps to ensure that their family, friends and guests are knowledgeable about the safe and sensible use of their pool. They also:


- ensure that their pool is never used unless there is adequate supervision
- ensure that their pool is kept in good repair and is not used when there is a missing or broken drain cover or other component
- ensure that ALL CHILDREN using their pool are supervised constantly
- that anyone under the influence of alcohol, drugs or stimulants that would impair their abilities or judgement does not use the pool
- ensure that their pool is protected by appropriate barriers to unsupervised entry including fencing with self-latching gates, covers, alarms, etc.

To assist you, a number of very important items of safety literature are included with each pool. We must insist that you read each item carefully and follow the instructions. These are:

- Pool Owners Safety Handbook
- "Notice" Card
- APSP "Sensible Way" Book
- Vinyl Swimming Pool Liner-Warranty
- "Children Aren't Waterproof" Book
- "No Diving" Labels
- Plaque

Make sure your builder supplies you with all of the safety information that accompanies your pool and installs the enclosed warning stickers and area sign where they can be clearly visible to all who use the pool.

For more information with regard to the ANSI/NSPI or ANSI/APSP standards or for other general information contact:
THE ASSOCIATION OF POOL AND SPA PROFESSIONALS
 211 EISENHOWER AVENUE
 ALEXANDRIA, Va. 22314
 Phone (800) 323-3996
 www.theapsp.org



The Latham, NY facility of Latham Pool Products, Inc. is certified to the ISO Quality Standard.



PERFORMANCE THERMOPLASTIC STEPS™



Optimum Strength and Durability

PERFORMANCE STEPS™

Step Collection

New!



6' FOUR-TREAD
FRENCH CURVE


Available in Standard and Cantilever



WHITE



New!



8' ROMAN
STRAIGHT & CURVED

Available in Standard and Cantilever



WHITE

6' FOUR-TREAD STRAIGHT

Available in Standard and Cantilever



WHITE



8' FOUR-TREAD
STRAIGHT SIT 'N STEP

Available in Standard and Cantilever in
STRAIGHT & RADIUS MODELS



WHITE



10' ROMAN END

Available in Standard and Cantilever



WHITE



90 DEGREE CORNER STEP

Available in Cantilever Only



WHITE



8' SUNLEDGE

Available in Standard and Cantilever



WHITE



2' RADIUS INSIDE CORNER

Available in Standard and Cantilever




WHITE

6' SWIM 'N LOUNGE

Available in Standard and Cantilever



WHITE



48" SUPER STEP

Available in Standard and Cantilever in
STRAIGHT & RADIUS MODELS



WHITE



2' WALL LADDER

Available in Cantilever only



WHITE

PERFORMANCE THERMOPLASTIC STEPS™



1. Standard Performance Steps are molded from a solid sheet of coextruded Luran®S with an ABS substrate from BASF resulting in a strong, one-piece design, that will never delaminate, splinter, corrode or puncture.
2. Raised, non-slip tread pattern allows for safe and easy pool entry and exit.
3. The high-impact strength and flexibility of weatherable polymers enables Performance Steps to withstand the stress of frost and back fill saturation far better than other materials.



**Performance Step™
25 Year Warranty**

The manufacturer warrants that the Performance step™ will retain its structural integrity and shape for a period of twenty five (25) years when used with the Performance Step Support System.



Extruded aluminum coping provides an attractive border for poured concrete decking.




A stylish cantilever edge for poured concrete decking is created with optional styrofoam forms.

TES Support System

(Total Encapsulated Support)

Performance Thermoplastic Steps utilize the patented TES Support System for optimum tread support and strength.



One-piece molded structural grid system supports the entire tread surface and prevents material fatigue.

Modular bracing allows for optional deck support.

- All 6' and 8' models come standard with recessed jet locations.
- All models come standard with pre-punched gasket holes for easy alignment.
- Performance Thermoplastic Steps, utilizing the TES System, are backed by a full 25-year non-prorated warranty.

Hydro-Therapy Seat

Life is better with JetPaks™

Make your pool a hydro-therapy experience!

Imagine your pool...now imagine your pool with hydro-therapy JetPaks. You can achieve virtually limitless therapy options by adjusting and interchanging the JetPak jets for a custom pool experience. Finally, a swimming pool with hydro-therapeutic options!

Finally, a swimming pool with hydro-therapeutic options!



Available in Standard and Cantilever




11 JETPAK OPTIONS

Inground and Spill-Over Spas

Our Inground and Spill-Over Spas are inherently rigid and strong, vacuum-formed from a single piece of acrylic, then hand laid with fiberglass for structural support, and backed by a five year warranty. Tranquility and Peace of mind!

ROUND SPILL-OVER SPA



BLUE GRANITE* GRAY GRANITE* WHITE



SCALLOPED INGROUND SPA



CAYMAN BLUE STONE TITE GRAY WHITE BLUE GRANITE* GRAY GRANITE*



SCALLOPED SPILL-OVER SPA



CAYMAN BLUE STONE TITE GRAY WHITE BLUE GRANITE* GRAY GRANITE*

*Although similar, the blue and gray granite spas are not an identical color match to the blue and gray granite steps.

Wedding Cake Step

The *Wedding Cake Step* can be used in all vinyl liner pools – polymer, steel, wood, concrete and fiberglass.

For uninterrupted beauty of your liner pattern, the *Wedding Cake Step* is a perfect choice.

A great step for pools with auto covers.

Consider adding a *Wedding Cake Step* to give fresh style to an older pool when it's time for a new liner.

All *Wedding Cake Steps* are of a molded shell which allows consistent liner installation and uses a revolutionary clip system to secure the liner to the step for snug fit.

You'll appreciate the raised tread pattern for a slip-resistant finish.



Don't just change your liner, change your lifestyle!

Available in eight beautiful models –

- 180° Straight
- 6'' Radius Corner
- 90° Corner
- 2' Radius Corner
- 8' 6'' Radius
- 9' Radius
- 10' Radius
- 11' Radius

Wedding Cake Step shown with 180° Straight Step



(180° Straight Step used for cutaway shown above)

**PERFORMANCE
THERMOPLASTIC
STEPS™**

SPECIFICATIONS

PERFORMANCE THERMOPLASTIC STEP CHART

NAME	Model (white)	Treads	Height	Cantilever	White	Gray	Granite	Blue Granite	Gray Stone Tite	Cayman Blue
2' pool wall ladder	ST2002	3	42"		X					
2' pool wall ladder	ST2003	3	48"		X					
2' radius inside corner step	ST0018B	3	42"		X					
2' radius inside corner step	ST0019B	3	42"	X	X					
90° inside corner step*	ST1015P	3	42"	X	X					
6' swim n lounge*	ST6007B		42"/48"		X					
6' swim n lounge*	ST6008B		42"/48"	X	X					
6' straight step	ST6018B	4	42"		X					
6' straight step	ST6019B	4	42"	X	X					
6' French curve step	ST6118B	4	42"		X					
6' French curve step	ST6119B	4	42"	X	X					
8' Straight Roman*	ST8130P	4	42"	X	X					
8' Curved Roman*	ST8132P	4	42"	X	X					
8' straight sit 'n step	ST8024B	4	42"		X					
8' straight sit 'n step	ST8025B	4	42"	X	X					
8' curve sit 'n step	ST8049B	4	42"		X					
8' curve sit 'n step	ST8050B	4	42"	X	X					
8' straight sunledge*	ST8060B	4	42"/48"		X					
8' straight sunledge*	ST8061B	4	42"/48"	X	X					
10' straight Roman sit 'n step	ST1024B	4	42"		X					
10' straight Roman sit 'n step	ST1025B	4	42"	X	X					
8' straight super sit 'n step*	ST8070P	4	48"		X					
8' straight super sit 'n step*	ST8071P	4	48"	X	X					
8' curve super sit 'n step*	ST80721P	4	48"		X					
8' curve super sit 'n step*	ST80731P	4	48"	X	X					
Round spill-over spa	PSS50S1		34"		X	X	X			
Scalloped spill-over spa	SPAS0S		39"		X	X	X	X	X	X
Scalloped inground spa	SPA1		39"		X	X	X	X	X	X
WCS - 180° Straight	ST9001	3	42"							
WCS - 90° Corner	ST9002	3	42"							
WCS - 6" Radius Corner	ST9003	3	42"							
WCS - 2' Radius Corner	ST9004	3	42"							
WCS - 8'6" Radius	ST9005	3	42"							
WCS - 9' Radius	ST9006	3	42"							
WCS - 10' Radius	ST9007	3	42"							
WCS - 11' Radius	ST9008	3	42"							

* Requires pole kit support system; modular grid system not available.

* Requires brace extensions for 48" height - same model accommodates 42" & 48" wall height (part number PN70962)

Printing color may vary slightly from actual product. All colors/products subject to change without notice.